

# Drilling rig TL13geo



## Features

The TL13geo drilling rig, with its **compact design**, is particularly suitable for confined spaces. Its small dimensions and low weight allow for transportation by crane or helicopter.

Two delivery vans with trailers are used for transporting the drilling rig and materials.

The drilling rig is ready for operation after approximately 15 minutes.

## Transport Dimensions | Features

<b>Length</b>	2.6 m
<b>Width</b>	1.2 m
<b>Height</b>	1.7 m
<b>Weight</b>	2.6 t

## Performance

<b>Drilling depth</b>	up to 30 m
<b>Ready</b>	after approx. 15 min

## Drill Diameter | Sample Diameter

<b>100 mm</b>		80 mm
<b>150 mm</b>		125 mm

## Drilling site requirements

<b>Working- / ceiling height</b>	min. 2.2 m
<b>Passage width</b>	min. 1.2 m
<b>Working area</b>	approx.. 2.0 x 4.0 m
<b>Inclination angle</b>	max. 60 % bzw. 30°
<b>Ground pressure</b>	0.5 kg/cm <sup>2</sup>



**STUDERSOND AG**  
Kalberweid 139  
CH-3635 Uebeschi  
+41 58 510 43 43  
info@studersond.ch

**BASE EASTERN  
SWITZERLAND**  
Studersond AG  
Neuwiesstrasse 6  
CH-8475 Ossingen

**BASE SOUTHEAST  
SWITZERLAND**  
Studersond AG  
Italianische Strasse 119  
CH-7408 Cazis